



EXCLUSIVE NEW PRODUCTS AVAILABLE



LRP S10 Twister 2 MT Brushless



LRP Gravit Visison FPV



LRP LiPo Ultimate Drift 5300



SANWA RX-471 Dual-ID receiver



LRP Deep Blue 330 Hydro



LRP 7500 - TC Stock Spec



SANWA SV-Plus Type-D ESC

NOW AT YOUR LOCAL HOBBY SHOP

DISTRIBUTION TO MORE THAN 60 COUNTRIES

You can be one of the first holding these selected products in your hands!

Ask your local hobby shop for LRP products or contact your national distributor:

Scan or click..

List of distributors on www.lrp.cc

MORE DETAILS ON THE FOLLOWING PAGES...



IIIII WWW.LRP.GG





LRP S10 TWISTER 2 MT BRUSHLESS 1/10 / 2WD





FEATURES

- Vector K7 8.5T 4300kV Brushless motor
- LRP Spin Pro RTR Brushless speed control
- Tuning metal gear
- 4,5 kg high-torque servo
- Wheelie bar

Scan or click..

More information on the product page at: www.LRP.cc



THE TWISTER 2 WITH MONSTER POWER!

Are you ready for Offroad with real power under the hood? The Twister MT 2 Brushless in 1/10 scale is the proverbial wolf in sheep's clothing. Underneath the stylish Monster Truck body, there's a truly powerful driver system with the Spin Pro RTR and the Vector K7 with 8.5 turns.

A massive wheelie-bar at the tail makes sure that there are no unwanted backflips. Stylish starts on the two back wheels are standard for this 2WD Offroad truck. The massive tyres enable him to fight trough every kind of terrain. A true Offroad beast with unbelievable Brushless power.

TECHNICAL DATA

Length	465	mm
Width	335	mm
Hight	215	mm
Wheelbase	295	mm
Top speed**	65 k	m/h



Order No.	Item	EAN	UPE*
120812	LRP S10 Twister 2 MT Brushless 2.4GHz 1/10 2WD RTR	4250068163643	None

* Recommended Retail Price in Germany

** Up to 65 km/h with optional LRP#430230 battery





THE GRAVIT FOR THE FPV FLIGHT! The LRP Gravit Vision quadrocopter is no lon-

TECHNICAL DATA

ger only available with HD camera, but now also as FPV version. You can follow the flight on your mobile phone in real time directly from the bird's eye view. Picture und video features of course are also onboard. The camera can be operated with the transmitter. A "return-function" enables a safe return to the pilot and the 3 power levels make the first steps into first person view flight conceivably easy. The extremely forgiving flight characteristics guarantee lots of flight fun.

Control functions..... up/down, forward/backward, spinning left/ spinning right, hovering sideways, looping

Transmitting frequency......2.4GHz

Battery......1S 3.7V LiPo 1000 mAh Video & foto funktionYes Video-transmiting-frequenz2.4 GHz

Date: 2016-01-05

LRP GRAVIT VISION FPV RTF WITH WLAN CAMERA



FEATURES

- FPV video transmission in realtime to your phone
- Video and photo recording on your phone
- Camera pitch control per remote control
- Headless flying Flying without caring about actual orinetation

Scan or click..

More information on the product page at: www.LRP.cc





Order No.	Item	EAN	UPE*	
220707	LRP Gravit Visison FPV 2.4GHz Quadrocopter Mode 2	4250068162134	No	one





BLUE 330 HYDRO 2.4GHZ HIGH-SPEED RACING BOAT RTR ヨヨシ 1



FLYING OVER THE WATER

The LRP Deep Blue 330 Hydro is LRP's first ever hydroplane. Due to its exceptional construction, it is extremely agile and almost flies over the water.

The model has all features you need for safe and comfortable driving fun: battery warning system, intelligent binding control, waterproof electronics***, safety system for the powerful motor, battery warning system and reinforced propeller. Due to the 2.4GHz transmitter with a range of 100 meters, multiple boats can be operated simultaneously.

TECHNICAL DATA

Length	
Width	132mm
Height	77mm
Weight	
Transmitter technology	2.4GHz
Steering functions	Forward/backward,
	left/right

FEATURES

- 2.4GHz technology
- Intelligent binding control
- Safety system
- Battery warning system
- Unsinkable**

Scan or click...

More information on the product page at: www.LRP.cc





Order No.	Item	EAN	RRP*
310106	LRP Deep Blue 330 Hydro 2.4GHz High-Speed Racing Boat RTR	4250068162356	

None

* Recommended Retail Price in Germany ** With intact hull, sealing and correctly mounted cover

- *** Does not apply for the transmitter and the charger

IIIII WWW.LRP.GG





LRP LIPO ULTIMATE DRIFT 5300 7.4V / 110C/55C

I TALETA LOT VIICITA

FEATURES

- Drift optimised Get the most out of your drift-car
- Extra drift power
- Extra drift time
- Extra lifetime
- 3C charge current

Scan or click...

More information on the product page at: www.LRP.cc





				100
		AATE	antin	C
	an an		C .	E ELLE
F		1356	AN AN AN	
	8	11		
2				

Order No.	Item	EAN UPE*	
430209	LRP LiPo Ultimate Drift 5300 - 7.4V Hardcase - 110C/55C	4250068163254	None

* Recommended Retail Price in Germany

THE ULTIMATE DRIFT BATTERY!

The LRP Ultimate Drift LiPo has been especially developed for the use in drift cars. Its capacity is extremely high, especially if you consider its low weight. Therefore, this LiPo battery is perfectly suited for long drift runs. The high voltage level and the extremely low internal resistance provide enormous power. Like the popular LRP LiPo Competition Car Line, also the battery case of the Ultimate Drift is made of durable, see-through and high-quality synthetic material. Of course, the Ultimate Drift can be charged with 3C charge current. All cells are separately tested and selected.

TECHNICAL DATA

Capacity	5300mAh
C-rate	110C/55C
Nominal voltage	7.4V
Power connector	4mm gold
Balancing connector.	2mm gold
Weight	
Dimensions (LxWxH)	139x47x25.1mm
Application	Drift racing



DETITION



Date: 2016-01-05

LRP CCL 7500 - TC STOCK SPEC 110C/55C - 7.4V



THE EXCLUSIVE PACK – TAILORMADE FOR STOCK RACERS!

LRP sets technological trends with innovative development work in the area of high-end batteries. RC racers can take profit from two brand new lines now.

The Stock Spec line batteries feature the highest voltage output. This pushes the car to maximum acceleration and top speed. Your competitors and spectators at the track will be completely astonished by your lap times!

The LRP 7500 TC StockSpec is THE innovation for 1/10 touring car Stock competition racing. In Stock, it's the battery that makes the difference!

Complying with the rules of the following federations: IFMAR / EFRA / DMC / BRCA / LRP-HPI-Challenge / LRP-Offroad-Challenge

TECHNICAL DATA

Dimensions LxWxH	139x47x25,1mm
Weight	324g
Capacity	7500mAh
Nominal voltage	7.4V
C-rate	
Connector	4mm gold
Balancing connector	2mm gold

FEATURES

- Specially developed for Stock racing classes
- HDS-2 Advanced High Density Stacking technology
- 110C/55C LiPo power
- 3C charge current
- FREE Gold Works Team connectors included





Scan or click..

More information on



and the same and t

Order No.	Item
430217	LRP 7500

LRP 7500 - TC Stock Spec - 110C/55C - 7.4V LiPo

EAN UPE* 4250068163407

114,99€

* Recommended Retail Price in Germany





49.99 EURO*

LRP B2-STX PRO 2.4GHZ RADIO SET

बार्कतन्त्र झानन



THE PERFECT ENTRY-LEVEL TRANSMITTER

The popular entry-level transmitter A2-STX Pro was the basis for the brand new B2-STX Pro. The housing was borrowed from it, but the steering wheel support was optimised and enforced. The danger of a sideways twisted-off wheel when used by untrained beginners was therefore significantly reduced.

Features such as a Fail-Safe function or an End Point Adjustment (EPA) of course are also integrated in the set as well as a charging socket and a LED battery indicator.

TECHNICAL DATA

Number of ports	3
Weight	388g
Capacity	2600mAh
Transmitting frequency.	2.4GHz
Power supply	.4x AA batteries, 6V

FEATURES

52-511 FID 2.4515 F.115

- 2.4GHz FHSS Control
- Enforced steering wheel support
- 4-channel 2.4GHz receiver included
- LED battery indicator
- Best value for money

Scan or click...

More information on the product page at: www.LRP.cc



€

© 2016 LRP electronic GmbH

	Order No.	Item	EAN	RRP*
	87030	LRP B2-STX Pro 2.4GHz Radio Set	4250068161045	49,99€
_				

WWW.LRP.GG





SANWA RX-471 DUAL-ID 4-CHANNEL/FHSS-4, FHSS-3/SSR



- Dual ID can simoultaneously be bound to two transmitters
- Perfect suitable for Sanwa SRG servos
- SSR compatible



More information on the product page at: www.LRP.cc





Small compact FHSS-4 & FHSS-3/SSR receiver that can be bound as Dual-ID receiver to two different transmitters. The transmitter that is switched on first and establishes the connection takes over the control. Ideal for long distance races where several different transmitters are used. Or also for every other situation where a car is driven by different persons: for example in practise to have a car test driven (left-hander or own transmitter settings) by an other driver.

The RX-471 Dual-ID is perfectly suitable for Sanwa SRG servos und Sanwa Super Response Mode compatible.

TECHNICAL DATA

Weight	6g
Dimesions	30x23.3x14mm
Channels	4
Voltage rating	4.8 - 7.4V
Transmitting frequency.	
2.4G	
SSR compatible	yes

© 2016 LRP electronic GmbH

Order No.	Item	EAN	UPE*	
107A41151A	SANWA RX-471 Dual-ID receiver (4-Kanal/2.4GHz FHSS-4, FHSS-3/SSR)	4944683	030816	None

IIIIIIIWWW.LRP.CC





SANWA SV-PLUS TYPE-D INTEGRATED RX-472 RECEIVER



FEATURES

- Special drift software
- Adjustable motor speed limit
- Integrated RX471 4-channel receiver
- SANWA Slide Control for perfect drifts
- SSR/SHR/NOR as well as SSL function



Scan or click..

More information on

the product page at: www.LRP.cc

THE ULTIMATE DRIFT SPEED CONTROL!

The RX-472 4-channel receiver has been integrated into this special Drift speed control. Therefore the core gets "cleaner" because a part of the wiring is no longer needed.

It's special qualities make it foremost into a drift champion. The motor speed limiter comes into play as soon as the motor has reached a set motor speed limit. Sanwa Slide Control assists in accelerating softly to keep the car stable in the drifts. The gas reaction, adjustable with the transmitter in 100 steps, additionally increases the stability – even at low speeds.

TECHNICAL DATA

Motorlimit	3.5T (1S) / 4.5T (2S)
Multi-Protection-System	1Yes
Voltage input	6.0 - 7.4V
Rated current	
Туре	Forward/backward
Dimensions	.36.6x37.8x30.9mm
Boost Zero Mode	Yes

© 2016 LRP electronic GmbH

Order No.	Item	EAN	UPE*	
107A41283A	SANWA SV-Plus Type-D ESC with integrated RX-472 Receiver	4944683030168		None
				-

IIIIIIWWW.LRP.GG





SANWA SRG-BZX SERVO 15KGCM/0.065/40, 7.4V

3/17 EDD 11:EDD 18:EDD 01:06:EED



FEATURES

- Extremely powerful (15.0kg manipulation power)
- Perfect for 1/8 Offroad
- 7.4V rating (2S LiPo capable)
- Extra long lifetime
- LRP quality approved

Scan or click...

More information on the product page at: www.LRP.cc



Order No. 107A54241A



THE 1/8 OFFROAD SPECIALIST!

Tough, fast and strong ... this servo has all characteristics an offroad driver desires. The lower part of the housing is made of aluminium for improved cooling while the steel gears provide extra durability. This servo is ready for toughest demands!

BL signifies Brushless. This high-quality product features the maintenance-free and extremely durable brushless technology.

TECHNICAL DATA

Weight	
Туре	Digital
Ball bearing	Yes
Manipulating speed	0,06s/40°
Manipulating energy	15.0kg/cm
Dimensions	40.5x21.0x38.0mm
Voltage rating	7.4V
Metal gear	Yes



* Recommended Retail Price in Germany

IIIII WWW.LRP.GG